

Cold liquid applied roof waterproofing and protection systems

Intelligent roof protection



Triflex solutions for roofs

Thoroughly impressive

Roofs are subject to weather, wind, mechanical, thermal and chemical stresses all year round. Details, such as upstands, gutters and roof penetrations are particularly vulnerable with any failures leading to water ingress and damage to the integrity of a building.

With Triflex roofing systems, you have a solution that can handle even the most difficult requirements easily. Our fully reinforced, cold liquid applied systems ensure that all surfaces and complicated details are reliably waterproofed long term. Our high quality products, impeccable track record, dedicated technical support and 40 years' experience, make Triflex the ideal choice to deliver your roofing project.



Triflex system strengths

Advantages, at a glance

Fully reinforced waterproofing of all areas including details.

Durable protection with added security, everywhere.

Fast-curing, cold liquid applied, fully certified waterproofing.

Reduced time on site, fast project completion, with the comfort of BBA, ETA and FLL certification.

No hot works, with the highest UK fire rating once installed

Zero flame, with no risk of fire during installation and certified to EN 13501-1 and EN 13501-5: Class B_{ROOF}(t4)

Fully warranted systems

Solutions underpinned by meaningful warranties backed by insurance.



All-round versatility.

Roof refurbishment, roof overlay, new build roofs, warm roofs, inverted roofs, green roofs, metal roofs, roof repairs, roof markings and much more. With Triflex you always have the ideal and long lasting solution for your waterproofing requirements.



Extremely durable.

Triflex solutions are approved to the highest levels including BBA, ETA and FLL certification. Our solutions have performed successfully in extensive tests and in long-term practical use, with many systems demonstrating proven performance in excess of 25 years.



Waterproof down to the smallest detail.

Upstands, parapets, cappings, plinths, gutters, drips, rooflights, hatches, joints and cracks. Our seamless, fully reinforced waterproofing solutions come into their own when handling complicated details and repairs.

Problem-free adhesion even on unusual and challenging substrates.
Exceptional levels of compatibility, including on single ply membranes.

Resistant to standing and ponding water.
Can be used on zero pitch and completely flat roofs.

Can be applied at temperatures down to -5°C at details.
Projects can be completed regardless of the time of year.

Certified root and rhizome resistant.
For the waterproofing of green roofs.



Complete versatility

Triflex systems are designed to be applied to almost all roof substrates. The Triflex laboratory has tested compatibility on more than 7,000 membrane samples including numerous single ply products, the overlay of which is a Triflex speciality. The properties of Triflex systems allow the costs, risks and disruption associated with the removal of the existing waterproofing system to be totally eliminated. In addition the versatility of our solutions allows them to be used in wide ranging applications.



TRIFLEX IS WATERPROOFING, MADE EASY



Flat roofs

Our comprehensive range of BBA and ETA certified, cold liquid applied waterproofing systems are suitable for both flat roof refurbishment and new build roofs including inverted roofs. These fully reinforced, seamless solutions are based on the most advanced solvent free polymer chemistry, and with fast curing, and odour free options available, Triflex roof waterproofing systems offer significant advantages over both conventional materials and non-specialised liquid competition.



Warm roofs

Warm roofs have become increasingly popular as the requirement to continually increase the thermal performance of buildings grows. We offer a fully integrated, engineered warm roof solution comprising of all build-up elements. With the choice of PIR and mineral wool insulation used in combination with our durable waterproofing systems, the long term performance of the roof can be guaranteed.




Green roofs

Green roofs are specified for aesthetic, functional and environmental reasons. We offer multiple FLL certified systems ideal for green roof applications, which offer resistance to both roots and rhizomes with additional certification to EN 13948: 2007.



Metal roofs

In addition to common problems including waterproofing gutters and penetrations, metal roofs are subject to specific issues including cut edge, end-lap and general corrosion combined with high levels of thermal movement. Our range of metal roof solutions offer lasting protection with proven adhesion, durability, flexibility and corrosion protection.



and much more

We also provide solutions for:

- Detail and repair only
- Inverted roofs
- Submerged waterproofing
- Podiums / plaza decks
- Heavily trafficked roofs
- Highly sensitive environments
- Roof markings
- and much more...

Overview of Triflex roof systems

System selector

For further technical information please contact the Triflex Technical Team, call **01785 819119** or email **tech@triflex.co.uk**

Requirement	Waterproofing systems		Detail and repair waterproofing systems	
	Triflex ProTect	Triflex ProThan	Triflex ProDetail	Triflex ProFibre
Roof waterproofing	●	●	-	-
Rapid curing	●	●	●	●
Roof waterproofing in highly odour sensitive areas	-	-	-	-
Green roof waterproofing	●	●	●	-
Blue roof and submerged waterproofing	●	●	●	-
Detail and repair waterproofing	-	-	●	●
Detail and repair metal roof waterproofing	-	-	●	●
Certification	BBA, ETA, FLL EN 13501-5 : Class B _{ROOF} (t4)	BBA, ETA, FLL EN 13501-5 : Class B _{ROOF} (t4)	BBA, ETA, FLL EN 13501-5 : Class B _{ROOF} (t4)	-




Roof waterproofing system

Triflex ProTect®

Triflex ProTect is a fully reinforced, waterproofing system with outstanding properties allowing it to be used all year round to waterproof all roof constructions and build-ups, including use in areas subject to standing and ponding water. The solvent free solution is suitable for new build and refurbishment where its compatibility with almost all existing substrates, including single ply, and its simple, single process application are invaluable.

System build-up



Advantages at a glance

Versatile

Triflex ProTect is suitable for all roof build-ups and applications including, overlay, warm roofs, inverted roofs, blue roofs, green roofs and much more.

Cold applied and rapid curing, even at low temperatures

With Triflex ProTect there is no risk from hot works. The cold liquid applied system has exceptionally rapid curing times, even in changeable weather and at substrate temperatures down to 0°C. The system is typically rainproof after 30 minutes and fully cured in 45 minutes.

Single process application

The single process application saves time on site, reduces installation costs and minimises risk from contamination.

Tough and durable, fully reinforced technology

Designed for foot traffic, providing exceptional puncture resistance compared to many alternative materials. Also provides long term resistance to high levels of regular and unforeseen movement. With the optional heavy duty wearing layer the system can also be used for very highly trafficked industrial roofs.

Fully certified

The system is fully certified to the highest UK and European standards and classifications, including; BBA, ETA (ETAG 005), FLL (Green Roof Guidelines), EN 13948:2007 and fire performance to EN 13501-1 / EN 13501-5 : Class B_{ROOF}(t4).




Warm roof waterproofing system

Triflex ProTect® warm roof

Triflex ProTect warm roof is a fully reinforced, waterproofing system with outstanding properties allowing it to be used all year round to create a waterproof warm roof build-up for all roof constructions and build-ups, including use in areas subject to standing and ponding water. The cold bonded solvent free solution is suitable for new build and refurbishment, offering exceptional performance and is compatible with the BBA and ETA certified Triflex ProTect

System build-up



Advantages at a glance

Choice of insulation media

The system build-up can be tailored to suit your project and allows a range of insulation media to be utilised including PIR and mineral wool with optional heavy duty toppings.

Cold applied and rapid curing, even at low temperatures

With Triflex ProTect there is no risk from hot works. The cold liquid applied system has exceptionally rapid curing times, even in changeable weather and at substrate temperatures down to 0°C. The system is typically rainproof after 30 minutes and fully cured in 45 minutes.

Watertight at all stages

Triflex vapour control layer and Triflex carrier membrane are designed to keep the roof watertight and the insulation free from water prior to installation of the final waterproofing.

Single source supply


All components are supplied from one source ensuring compatibility.

Roof waterproofing system for highly sensitive environments

Triflex ProThan®

Triflex ProThan provides the ideal solution for waterproofing roofs in highly odour sensitive areas. The solvent free resin is odour free during application making it ideally suited for waterproofing the roofs of hospitals, food processing facilities and other sensitive environments. The system can also be used internally without the requirement for additional ventilation and is particularly suitable for internal plant rooms.

System build-up



Advantages at a glance

Odour and solvent free

The polyurethane resin is odour free during application, making it suitable for use in highly sensitive areas, such as hospitals, food processing facilities and internal plant rooms.

Cold applied

Cold liquid applied with no risk from hot works the system also has the highest UK fire rating once installed.

Versatile

Triflex ProThan is suitable for the vast majority of build-ups and applications including, overlay, warm roofs, inverted roofs, green roofs and much more.

Tough and durable in a single process application

The system is applied in a single process saving time on site, minimising installation costs and avoiding the inter-layer adhesion risks which can affect multi-coat systems. The standard system is designed for foot traffic while providing exceptional puncture resistance. The fully reinforced system also provides long term resistance to high levels of regular and unforeseen movement. With the optional heavy duty wearing layer the system can also be used for highly trafficked industrial roofs.

Fully certified

The system is fully certified to the highest UK and European standards and classifications, including; BBA, ETA (ETAG 005), FLL (Green Roof Guidelines), EN 13948:2007 and fire performance to EN 13501-1 / EN 13501-5 : Class B_{ROOF(t4)}.




Roof detail and repair waterproofing

Triflex ProDetail®

Roofs are often most vulnerable to water ingress at details, so it is essential that these areas are reliably waterproofed. Triflex ProDetail is a fully reinforced, seamless solution that is ideal for the fast and easy waterproofing of virtually all details, including upstands, gutters and roof penetrations. Exceptionally rapid cure times, even at temperatures as low as -5°C, allow the system to be installed all year round, in a simple, single process application.

System build-up



Advantages at a glance

Reliable application with high compatibility

The liquid applied waterproofing has a thixotropic formulation as standard, allowing it to be used on vertical surfaces and is compatible with virtually all roof substrates.

Tough and durable in a single process application

The system is applied in a single process saving time on site, minimising installation costs and avoiding the inter-layer adhesion risks which can affect multi-coat systems. The system provides long term resistance to high levels of movement. With the optional heavy duty wearing layer the system is ideal for the waterproofing of heavily trafficked gutters.

Cold applied and rapid curing, even at low temperatures

The liquid applied system has particularly rapid cure times. The waterproofing resin is completely cured in approximately 45 minutes, even in changeable weather and at substrate temperatures of down to -5°C.

Fully certified

The system is fully certified to the highest UK and European standards and classifications, including; BBA, ETA (ETAG 005), FLL (Green Roof Guidelines), EN 13948:2007 and fire performance to EN 13501-1 / EN 13501-5 : Class B_{ROOF(t4)}.

Triflex system compatibility

Triflex ProDetail is used in conjunction with other Triflex systems including Triflex ProTect.




Complex roof detail and repair waterproofing

Triflex ProFibre®

Triflex ProFibre is a fibre reinforced variant of Triflex ProDetail which is ideal for intricate details that are difficult to access or cannot be practically waterproofed using fabric reinforcement.

With exceptionally rapid cure times and unsurpassed levels of substrate compatibility, Triflex ProFibre allows for the simple, rapid waterproofing of all complex and difficult to access roof details and penetrations.

System build-up



Advantages at a glance

Incredible versatility

Suitable for the waterproofing of virtually all complex and restricted access interface details. Triflex ProFibre can be used stand alone or in combination with the majority of Triflex waterproofing, surfacing and protection solutions.

Simple application

The liquid applied waterproofing has thixotropic formulation as standard, allowing it to be used on vertical and even inverted surfaces.

Cold applied and rapid curing, even at low temperatures

The totally cold applied system has particularly rapid cure times even when applied at temperatures down to 0°C.

Tough and durable

The system provides long term resistance to high levels of movement.

Waterproof down to the smallest detail


The cured resin forms a totally waterproof, seamless and joint-free surface.

Roof markings

Triflex Safety Coat

Triflex Safety Coat is a stand-alone, fast curing, cold liquid applied coloured coating system, and is the optimum solution for roof markings, walkways and signage. Whether required for Health and Safety purposes, aesthetic or design reasons, the anti-skid system provides a simple to install yet thoroughly effective solution.

System build-up



Advantages at a glance

Anti-skid

Triflex Safety Coat can help to prevent slips, trips and falls and provides high levels of slip resistance for foot traffic.

Colour and design

In addition to Triflex Safety Coat being available in a wide range of standard colours, bespoke colours and designs are also available allowing you to tailor the solution to the needs of your client.

Versatile

Triflex Safety Coat is a one-system solution that can be used to solve all requirements including markings, walkways and signage. The system is compatible with virtually all existing substrates and Triflex roof waterproofing systems.

Cold applied and rapid curing

In addition to no risks from hot works, the system can be applied all year round at low temperatures with no significant extension of cure times.

Simple application

The system is simple to apply in a single process by roller.

Tough and durable

The system is designed to handle high levels of foot traffic.

Triflex service

Setting the standard

Solutions

Our aim is to ensure that our clients arrive at the most practical, efficient and best value solution for their project. We do not sell products - we offer solutions to solve problems.

Service

Our clients receive the highest level of technical service, support and back-up right through to the delivery of the finished project. From site surveys and testing, to bespoke project specifications and CAD models, we offer complete peace of mind.



On-site support

Prior to and once your project commences, we can provide full on-site support. Whether you require testing, monitoring, site visit reports or simply advice, we can be on hand when you need us to help ensure that your project is delivered to the highest standard.

Delivery

We only sell our solutions directly to our network of specially trained Authorised Installers, ensuring that quality is not compromised at any stage of the process. Additionally our UK warehouse can provide next day delivery of most items to ensure that there is a quick turn around on your project.


Triflex solutions in action

Case studies



Le Clos Maurant

Location: Jersey
Area: 9,850m²



Walter Halls Primary School

Location: Nottingham
Area: 425m²



St Sidwell's Point

Location: Exeter
Area: 1,560m²



Plough Lane

Location: Wimbledon
Area: 16,800m²



Contact Tanks Refurbishment

Location: Midlands
Area: 2,000m²



Royal Observatory

Location: Edinburgh
Area: 300m²

For more case studies visit triflex.co.uk/casestudies

EVEN MORE SOLUTIONS FROM TRIFLEX.


Fast, attractive, long-lasting

Solutions for walkways, balconies & terraces

Our walkway, balcony and terrace systems meet the highest demands for functionality and design, and can be used both in new builds and in refurbishments. They are quick to apply, enable short renovation times and offer a wide selection of colours and surface finishes. This broad range of long-lasting solutions ensures satisfied clients and tenants.

ADVANTAGES AT A GLANCE

- Waterproofing, surfacing and coating in a single day
- Applies seamlessly to any structural form
- Reliable detail and joint waterproofing
- UV and fire resistant
- Non-slip surface



Reference
project
**Meadfoot beach
chalets**

Location: Torquay
Area: 550m²



Long term protection, versatile

Solutions for car parks

Our high quality, cold liquid applied waterproofing and surfacing systems protect multi-storey and underground car parks from mechanical loads and chemical degradation, guaranteeing reliable, long term protection. Our solutions not only prolong the life of the building and add value and safety to the structure, they also minimise disruption to users as installation can be completed quickly with treated areas open to traffic after just a few hours.

ADVANTAGES AT A GLANCE

- Long term protection for multi-storey, underground and surface car parks
- Fast application, short closure periods
- Non-slip surface
- Creative design possibilities
- The perfect solution for refurbishment




Further applications

Solutions for energy, industry and infrastructure

Whatever the project, we have a range of specifically engineered waterproofing and coating systems to suit your needs. We can provide solutions for almost any application, from the protection of equipment rooms and water management facilities to wind turbine foundation waterproofing.

ADVANTAGES AT A GLANCE


- Long lasting and reliable waterproofing
- UV and fire resistant
- Aesthetically pleasing and high quality
- Compatible with almost any substrate



Reference
Project
Hodge House
Location: Cardiff



Reference
project
**Tween Bridge
Wind Farm**
Location: Doncaster





Delivering solutions together.

Triflex is the leading European specialist in cold liquid applied waterproofing, surfacing and marking resins. Our high-quality systems provide reliable and lasting waterproofing, surfacing, protection and markings for roofs, walkways, balconies, terraces, car parks, roads and infrastructure.

We are a family owned and operated company that provides tailored solutions worldwide. From our production facilities based in Minden, Germany, we have been researching and developing solutions designed to protect and repair the built environment for more than 40 years.

From our UK and Ireland headquarters based in Stone, Staffordshire we pride ourselves on providing our clients with tailored solutions and exceptional levels of service and support throughout all stages of their project. From conducting in-depth site surveys to our comprehensive testing and off-site and on-site support, Triflex delivers the highest standards.

Triflex solutions are certified to the highest standards, ensuring peace of mind for years to come.

Triflex (UK) Ltd
Whitebridge Way
Stone
Staffordshire
ST15 8JS

☎ 01785 819119
✉ info@triflex.co.uk
🌐 triflex.co.uk

 Triflex (UK) Ltd

 Triflex_UK